



212412 - Stulpflügelgetriebe 4 HO-BO GM 1.050 rechts für Holz FT28 U-8/28/8 silber

								L			Nº
Silber	links	4HO-BO	1.050	8	28	8		2.255	340	5	212412

Schraubpositionstabelle

Nº																			
212412	17	-1.013	-920	-849	-704	-585	-469	-349	-99	-18	87	200	311	431	553	666	786	823	



Technical drawing of a 5-bay metal cabinet. The drawing shows the front and side views with dimensions in millimeters.

Dimensions:

- Overall height: 2255
- Overall width: 1050
- Bay width: 340
- Distance from top to first bay center: 1050
- Distance between bay centers: 409
- Distance from bottom to last bay center: 764
- Distance from top to first bay center (alternative): 371
- Distance between bay centers (alternative): 726

Labels:


- A: Points to the side panels of the bays.
- B: Points to the central panel of the middle bay.
- X: Points to the central panel of the middle bay, with a note "X = 7" indicating a specific feature or part number.



212412 - Stulpflügelgetriebe 4 HO-BO GM 1.050 rechts für
Holz FT28 U-8/28/8 silber

Bohr- und Fräsbild

Detail A





**212412 - Stulpflügelgetriebe 4 HO-BO GM 1.050 rechts für
Holz FT28 U-8/28/8 silber**

Detail B

