


215404 - Schließteilleiste 2MF-BO K+605 rechts für PVC U-6/32/9 Silber

		L		B			Nº
Schließteilleiste 2MF-BO K+605 rechts für PVC U-6/32/9 Silber	rechts	1.750	6	32	9	5	215404 ¹⁾


¹⁾ Mit E-Öffner 478680 verwendbar

Positionierung der Schließteilleiste



Bohr- und Fräsbild

Detail B



* Fräsung wird nur bei Verwendung eines E-Öffners benötigt.



Technical drawings of the window frame and handle assembly for the 8000 series. The drawings include cross-sections of the frame and handle, and a side view of the handle assembly. Dimensions are provided in millimeters (mm).

- Top Left Cross-section:** Shows the frame profile with a width of 18 mm.
- Top Right Cross-section:** Shows the frame profile with a width of 24 mm and a height of 26 mm. A star symbol (*) is located in the center.
- Bottom Left Cross-section:** Shows the frame profile with a width of 18 mm.
- Bottom Right Cross-section:** Shows the frame profile with a width of 16 mm and a height of 15 mm. A star symbol (*) is located in the center.
- Side View:** Shows the handle assembly with dimensions: 6 mm, 9 mm, 16 mm, and 32 mm. The handle has a width of 25 mm and a height of 80 mm. The handle is marked with R3 and a star symbol (*).

Datum: 23.08.2023