






Bezeichnung Description	Typ Type	Seite Page
BSD 22 K	213 631	2-13
BSDN 22 K	213 654	2-15
GTBSL 22 K	261 014	2-10
GTBSL 22	261 015	2-11
GTR 22.44 K	260 062	2-10
GTR 22.44	260 064	2-11
RD 22 K Stil	210 999	2-13
RD 22.44 K	210 938	2-13
RDN 22.45 K	211 032	2-15
RDN 22 K Stil	211 054	2-15
Stockabdeckung 52	211 079	2-16
TBSDN 22 K	261 028	2-16
TR 12.22 K Stil	260 038	2-10
TR 12.22 Stil	260 031	2-11
TRD 22.46 K	260 071	2-14
TRDN 22 K Stil	260 080	2-16
TRDN 22.44 B	260 079	2-16
TRDN 22.45 K	260 078	2-16
Halter Stilschiene	214 506	2-26
Befestigungsteil	210 863	2-26



260 062 GTR 22.44 K




261 014 GTBSL 22 K




260 038 TR 12.22 K Stil

FA 21
214 330




Einbaubeispiel GTR 22.44 K Installation example




Einbaubeispiel TR 12.22 K Stil Installation example







210 938 RD 22.44 K




213 631 BSD 22 K



210 999 RD 22 K Stil




Einbaubeispiel RD 22.44 K Installation example




Einbaubeispiel RD 22 K Stil Installation example

Profil Profile	Typ Type	lagerhaltige Oberflächen available surfaces on stock					VE PU	Endkappen 90° Endcaps 90°		Endkappen 20° Endcaps 20°	
		AU	BC 0	BC 2,5	BC 4	RAL 9016		links / left	rechts / right	links / left	rechts / right
RD 22.44 K	210 938	X	X			X	48 m	210 941	210 942	211 024	211 025
BSD 22 K	213 631	X					48 m	213 629	213 630	211 024	211 025
RD 22 K Stil	210 999	X					96 m	211 004	211 005		




260 071 TRD 22.46 K


Maßstab 1: 2




Einbaubeispiel TRD 22.46 K
Installation example




Einbaubeispiel TRD 22.46 K Installation example




211 032 RDN 22.45 K



211 054 RDN 22 K Stil




FA 21
214 330




Einbaubeispiel RDN 22.45 K Installation example


Profil Profile	Typ Type	lagerhaltige Oberflächen available surfaces on stock					VE PU	Endkappen 20° Endcaps 20°	
		AU	BC 0	BC 2,5	BC 4	RAL 9016		links / left	rechts / right
RDN 22.45 K	211 032	X	X			X	48 m	211 033	211 034
RDN 22 K Stil	211 054	X					108 m	211 055	211 056




260 078 TRDN 22.45 K




211 079 Stockabdeckung 52




260 079 TRDN 22.44 B



261 028 TBSDN 22 K



260 080 TRDN 22 K Stil



Einbaubeispiel TBSDN 22 K Installation example
