




Technische Änderungen vorbehalten! / Subject to technical changes! / Sous réserve des modifications techniques! / Reservada la posibilidad de modificaciones técnicas! / Technische veranderingen voorbehouden!




- D = Dornmaß / Backset / Fouillot / Aguja / Doornmaat
G = Griffhöhe / Handle position / Hauteur de poignée / La manilla / Krukhoogte
** = Kürzbar / Croppable / Recoupable / Acortable / Afkortbaar
*** = Zahnstangenbereich / Rack zone / Zone de la crémaillère / Zona del rail dentado / Tandstangzone




G = Griffhöhe / Handle position / Hauteur de poignée / La manilla / Krukhoogte








* DIN LS spiegelbildlich / Left hand mirror image / Côté gauche inversé en miroir / Página izquierda en reflejo / Linkerkant spiegelbeeld



A - A




B - B



C - C

Technische Änderungen vorbehalten! / Subject to technical changes! / Sous réserve des modifications techniques! / Reservada la posibilidad de modificaciones técnicas! / Technische veranderingen voorbehouden!



- D = Dornmaß / Backset / Fouillot / Aguja / Doornmaat
 G = Griffhöhe / Handle position / Hauteur de poignée / La manilla / Krukhoogte
 ** = Kürzbar / Croppable / Recoupable / Acortable / Afkortbaar
 *** = Zahnstangenbereich / Rack zone / Zone de la crémaillère / Zona del rail dentado / Tandstangzone

Empfehlung Beschlagnut Holz / Recommendation fitting groove timber /
Recommandation rainure bois / Recomendación canal de herraje madera /
Aanbeveling passende groef hout
T-FG1674 .../28 EU 92/... R3

